

 ANYST
— 安易视通 —
超清 4K 采集卡



型号：PCI-E ST-940H4

深圳市奇鯤科技有限公司

■特点

- 图像还原度高、超低延时。
- 支持操作系统：Windows XP/7/8/10、Andriod 5.0 或以上、MacOS、Linux。
- 免驱安装。
- 最高支持 4096 x 2160@60Hz 输入输出，1080P 最高支持 120FPS 输出。
- 附送专业“虚拟导播软件”（横竖屏双系统）

■安装接口

- PCI-E3.0(及 4.0、5.0) X4

■采集

1. 支持 RGB444、YCBCR422、YCBCR444、YCBCR420 color space。
2. deep color 24/30/36 位模式。
3. 采集最大输入分辨率：4096 x 2160@60Hz 、1920 x 1080@120Hz。
4. 支持 HDCP 1.4。

■ 视频、音频输出：

1. YUV422:

- 4096 x 2160@25FPS/20FPS/15FPS/10FPS/5FPS
- 2560 x 1440@50FPS/30FPS/20FPS/15FPS/10FPS
- 3840 x 2160@25FPS/20FPS/15FPS/10FPS/5FPS
- 1920 x 1080@60FPS/50FPS/30FPS/20FPS/10FPS
- 1600 x 1200@60FPS/50FPS/30FPS/20FPS/10FPS
- 1360 x 768@60FPS/50FPS/30FPS/20FPS/10FPS
- 1280 x 1024@60FPS/50FPS/30FPS/20FPS/10FPS
- 1280 x 960@60FPS/50FPS/30FPS/20FPS/10FPS
- 1280 x 720@60FPS/50FPS/30FPS/20FPS/10FPS
- 1024 x 768@60FPS/50FPS/30FPS/20FPS/10FPS
- 800 x 600@60FPS/50FPS/30FPS/20FPS/10FPS

2. MJPEG:

- 4096 x 2160@60FPS/50FPS/30FPS/20FPS/10FPS
- 2560 x 1440@60FPS/50FPS/30FPS/20FPS/10FPS
- 3840 x 2160@60FPS/50FPS/30FPS/20FPS/10FPS
- 1920 x 1080@120FPS/60FPS/50FPS/30FPS/20FPS/10FPS
- 1600 x 1200@60FPS/50FPS/30FPS/20FPS/10FPS
- 1360 x 768@60FPS/50FPS/30FPS/20FPS/10FPS
- 1280 x 1024@60FPS/50FPS/30FPS/20FPS/10FPS
- 1280 x 960@/60FPS/50FPS/30FPS/20FPS/10FPS/6FPS
- 1280 x 720@60FPS/50FPS/30FPS/20FPS/10FPS
- 1024 x 768@60FPS/50FPS/30FPS/20FPS/10FPS
- 800 x 600@60FPS/50FPS/30FPS/20FPS/10FPS

3. RGB24

- 1920 x 1080@60FPS/30FPS/25FPS/20FPS/10FPS
- 1280 x 720@60FPS/50FPS/30FPS/20FPS/10FPS
- 800 x 600@60FPS/50FPS/30FPS/20FPS/10FPS

4. NV12

- 3840 x 2160@30FPS/20FPS/10FPS
- 2560 x 1440@60FPS/50FPS/30FPS/20FPS/10FPS
- 1920 x 1080@60FPS/30FPS/20FPS/10FPS/6FPS
- 1280 x 720@60FPS/50FPS/30FPS/20FPS/10FPS

5. 音频 48KHz 立体声输出

 附送专业虚拟导播软件（横竖屏双系统）